

ENVIRONMENTAL PRODUCT DECLARATION

In accordance with ISO 14025 and EN 15804:2012+A2:2019 for

FLAT GLASS

3 mm - 19 mm

Clear and colored flat glass

Version 1

Date of issue: 2022-09-20

Validity: 5 years

Valid until: 2027-09-20

Scope of the EPD®: Brazil



The **environmental impacts** of this product have been assessed over its **whole life cycle**. Its Environmental Product Declaration has been verified by an **independent third party**.



THE INTERNATIONAL EPD® SYSTEM

International EPD® System / EPD Brasil®

Fundação Vanzolini

Rua Camburiú, 255 – Alto da Lapa

05058-020 – São Paulo (SP)

EPD registration number: S-P-06326

Product composition: Flat glass



THE INTERNATIONAL EPD® SYSTEM



Table of content

Table of content	1
General information	2
Product description	3
Product description and description of use	3
Declaration of the main product components and/or materials	5
LCA calculation information	6
Life cycle stages	7
Product stage, A1-A3	7
Construction process stage, A4-A5	9
Use stage (excluding potential savings), B1-B7	10
End of Life Stage, C1-C4	10
Reuse/recovery/recycling potential, D	11
LCA results	12
Flat Glass 3 mm	13
FLAT GLASS 3,15 mm	17
FLAT GLASS 4 mm	21
FLAT GLASS 5 mm	25
FLAT GLASS 6 mm	29
FLAT GLASS 8 mm	33
FLAT GLASS 10 mm	37
FLAT GLASS 12 mm	41
FLAT GLASS 15 mm	44
FLAT GLASS 19 mm	48
Information on biogenic carbon content	53
LCA results interpretation for FLAT GLASS 4 mm	54
Health characteristics	56
Additional Environmental Information	56
Cebrace's environmental policy	56
Our products' contribution to Sustainable Buildings	56
Bibliography	58

General information

Manufacturer : CEBRACE CRISTAL PLANO, Avenida do Cristal 540, 12311-900, Jacarei, Brazil

Program used: The International EPD® System. More information at www.environdec.com

EPD registration/declaration number: S-P-06326

PCR identification: PCR 2019:14 Construction products (EN 15804:2012: A2) version 1.11 (2021-02-05) and its c-PCR-009 (2021-01-25) Flat glass products used in buildings and other construction works (EN17074:2019)

UN CPC code: 371

Product name and manufacturer represented: FLAT GLASS produced by CEBRACE CRISTAL PLANO

Owner of the declaration: CEBRACE CRISTAL PLANO

EPD® prepared by: Fábio Bortoloto Valebona (ACV Brasil) and Tiago Barreto Rocha (ACV Brasil)

Contact: Camila Batista - camila.batista@cebrace.com.br

Valid: 2027-09-20

ISO standard ISO 21930 and CEN standard EN 15804 serves as the core Product Category Rules (PCR): PCR 2019:14 Construction products, version 1.1	
EPD program operator	The International EPD® System. Operated by EPD® International AB. Box 210 60 SE-100 31 Stockholm Sweden www.environdec.com .
PCR review conducted by	The Technical Committee of the International EPD® System Chair: Claudia A. Peña. Contact via info@environdec.com
LCA and EPD performed by ACV Brasil	
Independent verification of the environmental declaration and data according to standard EN ISO 14025:2010	
Internal <input type="checkbox"/>	External <input checked="" type="checkbox"/>
Verifier Edivan Cherubini Email : edivan@enciclo.com.br	
Accredited or approved by: The International EPD® System	
Procedure for follow-up of data during EPD validity involves third party verifier: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	

The EPD owner has the sole ownership, liability, and responsibility for the EPD.

EPDs within the same product category but from different programs may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804. For further information about comparability, see EN 15804 and ISO 14025.

Disclaimer: EPD of construction products may not be comparable if they do not comply with EN 15804

Product description

Product description and description of use

This Environmental Product Declaration (EPD®) describes the environmental impacts of 1 m² of FLAT GLASS to 3 mm to 19 mm with a light transmittance of maximum 91%*, for an expected average service life of 30 years.

This EPD is an average of 2 glass production sites in Brazil. The calculated average is a weighted arithmetic mean of the production of Cebrace's sites located at Jacareí/São Paulo and Barra Velha/Santa Catarina.

FLAT GLASS can be incorporated into a building, furniture or industrial application. The impacts of installation are not taken into account.

*Check table 1, below, with all the performance data according to the thickness and colour.

FLAT GLASS is a basic soda-lime silicate glass produced using the float procedure to be used in building, furniture & industrial applications. This glass is in conformity with the Mercosur standard NM 294-2004.

Specific make-ups described in this EPD:

In this Environmental Product Declaration one square meter of an average flat glass product will be analyzed taken into account the production of:

- Cebrace Float Clear: clear flat glass is a clear, sheet glass produced from soda-lime silicates, along with metal-oxide materials which are used in the creation of tinted glasses.
- Cebrace Extra Clear: which is a low iron product that reduces the level of green coloring so that the appearance is clearer and more neutral. This is particularly noticeable when viewing the edge of the glass.
- Cebrace Float Green, Dark Green (Emerald), Grey and Bronze: which are colored or tinted glasses are primarily the same composition as clear glass with minor adjustments to account for the addition of colorants.

The products are commonly used for building applications such as windows, walls, etc. The declared glass products are available in a range of thicknesses. The thicknesses included in this report are those more common in the commercial and residential markets. Clear glasses represent 81% of the production, colored glass 19%.

Performance data:

The range of FLAT GLASS is very large and can be personalized according to its thickness mainly. Below are a few examples of configurations for each of the products described in this EPD. Discover more information about the FLAT GLASS range on: <https://www.cebrace.com.br/>
The performance data are given according to the EN 410-2011 standard.

Thickness (mm)	3	3,15	4	5	6	8	10	12	15	19
Visible parameters										
Light transmittance (LT) %	90	90	89	89	88	87	86	85	83	81
External light reflection (RLE) %	8	8	8	8	8	8	8	8	8	7
Energetic parameters										
Energy transmittance (ET) %	85	84	83	81	79	76	72	69	65	60
Energy absorption (EA)%	7	8	10	12	14	17	21	24	28	33
Solar factor g	0,87	0,86	0,85	0,84	0,82	0,80	0,77	0,75	0,72	0,68

Table 1 Performance Data for Different Thickness of Cebrace Float Incolor (Clear)

Thickness (mm)	4	6	8	10	12
Visible parameters					
Light transmittance (LT) %	91	91	90	90	90
External light reflection (RLE) %	8	8	8	8	8
Energetic parameters					
Energy transmittance (ET) %	90	89	88	87	87
Energy absorbance (EA)%	2	3	4	5	6
Solar factor g	0,90	0,90	0,89	0,89	0,88

Table 2 Performance Data for Different Thickness of Cebrace Extra Clear

Thickness (mm)	3	3,15	4	5	6	8	10
Visible parameters							
Light transmittance (LT) %	83	83	81	78	76	71	67
External light reflection (RLE) %	8	8	7	7	7	7	6
Energetic parameters							
Energy transmittance (ET) %	64	63	58	52	48	41	35
Energy absorbance (EA)%	30	31	36	42	46	54	59
Solar factor g	0,71	0,7	0,66	0,62	0,59	0,53	0,49

Table 3 Performance Data for Different Thickness of Cebrace Float Verde (Green)

Thickness (mm)	4
Visible parameters	
Light transmittance (LT) %	72
External light reflection (RLE) %	7
Energetic parameters	
Energy transmittance (ET) %	44
Energy absorbance (EA)%	51
Solar factor g	0,56

Table 4 Performance Data for Different Thickness of Cebrace Emerald

Thickness (mm)	3	4	5	6	8	10
Visible parameters						
Light transmittance (LT) %	63	55	49	43	33	26
External light reflection (RLE) %	6	6	5	5	5	5
Energetic parameters						
Energy transmittance (ET) %	60	52	46	40	31	24
Energy absorbance (EA)%	34	42	49	55	64	71
Solar factor g	0,68	0,62	0,57	0,53	0,46	0,41

Table 5 Performance Data for Different Thickness of Cebrace Float Cinza (Grey)

Thickness (mm)	4	6	8	10
Visible parameters				
Light transmittance (LT) %	59	48	39	31
External light reflection (RLE) %	6	5	5	5
Energetic parameters				
Energy transmittance (ET) %	55	44	35	27
Energy absorbance (EA)%	39	51	60	68
Solar factor g	0,65	0,56	0,49	0,43

Table 6 Performance Data for Different Thickness of Cebrace Float Bronze

Declaration of the main product components and/or materials

The product is 100% glass CAS number 65997-17-3, EINECS number 266-046-0.

Description of the main components and/or materials for 1 m² of FLAT GLASS to 3 mm to 19 mm.

Thickness (mm)	3	3.15	4	5	6	8	10	12	15	19
Quantity of glass for 1 m ² of product (kg)	7,5	7,87	10	12,5	15	20	25	30	37,5	47,5

There is no "Substance of Very High Concern" (SVHC) in concentration above 0.1% by weight, and neither do their packaging, following the European REACH regulation (Registration, Evaluation, Authorization and Restriction of Chemicals).

Packaging and product used : Wooden battens (0.0049 kg of wood/kg of glass)


LCA calculation information

FUNCTIONAL UNIT / DECLARED UNIT	1 m ² of FLAT GLASS to 3 mm to 19 mm.
SYSTEM BOUNDARIES	Cradle to grave and module D Mandatory Stages = A1-A3 ; B1-B7 ; C1-C4 and D
REFERENCE SERVICE LIFE (RSL)	According to PCR EN 17074:2019, the reference service life is 30 years
CUT-OFF RULES	<p>All significant parameters shall be included. According to EN 15804, mass flows under 1% of the total mass input; and/or energy flows representing less than 1% of the total primary energy usage of the associated unit process may be omitted. However, the total amount of energy and mass omitted must not exceed 5% per module.</p> <p>The energy used for the installation of 1m² of glass, as well as minor amounts of solid waste flows from the glass manufacturing process are included in the cut-off rules for the LCA model.</p>
ALLOCATIONS	<p>Wastes from the glass manufacturing process to recycling are considered co-products. In a conservative approach, 100% of impacts have been allocated to the reference product. No other allocation procedure has been performed on the foreground processes.</p> <p>The ecoinvent database used to model the background processes applies an economic allocation procedure.</p>
GEOGRAPHICAL COVERAGE AND TIME PERIOD	<p>The information was established over the year 2019.</p> <p>The information collected comes from the two sites producing FLAT GLASS in Brazil (CEBRACE CRISTAL PLANO)</p>
BACKGROUND DATA SOURCE	Ecoinvent 3.8 (cut-off model) data were used to evaluate the environmental impacts. Primary data from suppliers of sand, lime and dolomite have been collected.
SOFTWARE	SimaPro 9.3

According to EN 15804, EPD of construction products may not be comparable if they do not comply with this standard. According to ISO 21930, EPD might not be comparable if they are from different programmes.

Life cycle stages

Flow diagram of the Life Cycle



Product stage, A1-A3

For flat glass A1 to A3 represents the production of glass in the float from cradle to gate.

Description of the stage: the product stage of flat glass is subdivided into 3 modules A1, A2 and A3 respectively "Raw material supply", "transport to manufacturer" and "manufacturing".

A1, raw material supply.

This includes the extraction and processing of all raw materials and energy which occur upstream from the manufacturing process.

A2, transport to the manufacturer.

The raw materials are transported to the manufacturing site. The modelling includes road and/or boat transportation of each raw material.

A3, manufacturing.

This module includes the manufacture of products and the manufacture of packaging. The production of packaging material is taken into account at this stage. The processing of any waste arising from this stage is also included.

The product stage includes the extraction and processing of raw materials and energies, transport to the manufacturer, manufacturing and processing of flat glass.

Manufacturing process flow diagram



1. **BATCH MIXER:** Mix of raw materials (silica, soda ash, lime, feldspar and dolomite) to which is added recycled glass (cullet) and other compounds depending on the desired color and properties.
2. **FUSION FURNACE:** Raw materials are melted at 1,550°C in a furnace.
3. **FLOAT:** The molten glass is fed into a bath of molten tin. The glass floats on this flat surface and is drawn off in a ribbon. Serrated wheels, or top rolls, pull and push the glass sideways depending on the desired thickness (from 3 to 19 millimeters).
4. **ANNEALING LEHR:** The glass is lifted onto conveyor rollers and passes through a controlled cooling tunnel measuring more than 100 meters in length. Approximately 600°C at the start of this step, the glass exits the lehr at room temperature.
5. **CUTTING AND STACKING:** The glass is automatically cut lengthwise and crosswise. The sheets of glass are raised by vacuum frames that then place them on glass stillages.
6. **QUALITY:** Automatic inspections and regular samples are taken to check the quality of the glass at each step in the glassmaking process.
7. **STORAGE AND TRANSPORTATION:** The stillages are placed on storage racks in the warehouse.
8. **ENVIRONMENT:** Use of recycled cullet, installation of pollution abatement systems and closed circuit management of water: every measure is taken to limit the consumption of energy, extraction of natural resources, production of waste and emissions into the atmosphere.

The flat glass is transported on dedicated racks or wooden battens, used many times. Racks are not included in the life cycle of the product according to the cut-off rules.

Construction process stage, A4-A5

Description of the stage: The construction process is divided into 2 modules: A4, transport to the building site and A5, installation in the building.

A4, Transport to the building site:

This module includes transport from the production gate to the building site. Transport is calculated based on a scenario with the parameters described in the following table. The calculated distance represents Cebrace's weighted average for the products distributed in 2019.

PARAMETER	VALUE
Distance	1267 km
Bulk density of transported products	2500 kg/m3

A5, Installation in the building:

The accompanying table show the parameters for installing the product at the building site. No installation materials and waste were considered due to the cut-off rule applied.

PARAMETER	VALUE
Ancillary materials for installation (specified by materials)	According to PCR NF EN 17074, none ancillary materials considered
Other resource use	None
Quantitative description of energy type (regional mix) and consumption during the installation process	According to EN 15804+A1, the energy needed during the installation is less than 0,1% of the total life cycle energy. It's include in the cut-off-rules.
Wastage of materials on the building site before waste processing, generated by the product's installation (specified by type)	According to PCR EN 17074, no waste is considered.
Output materials (specified by type) as results of waste processing at the building site e.g. of collection for recycling, for energy recovering, disposal (specified by route)	None
Direct emissions to ambient air, soil and water	None

Use stage (excluding potential savings), B1-B7

Description of the stage: The use stage is divided into the following modules:

- B1: Use**
- B2: Maintenance**
- B3: Repair**
- B4: Replacement**
- B5: Refurbishment**
- B6: Operational energy use**
- B7: Operational water use**

The product has a reference service life of 30 years. This assumes that the product will last in situ with no requirements for repair, replacement or refurbishment throughout this period. Therefore, it has no impact at this stage, except for maintenance.

According to PCR EN 17074, only the maintenance by cleaning glass with water and cleaning agent is included in this study.

Maintenance parameters, B2 :

PARAMETER	VALUE (expressed per functional/declared unit)
Maintenance process	Water and cleaning agent
Maintenance cycle	Annual average
Ancillary materials for maintenance (e.g. cleaning agent, specify materials)	cleaning agent : 0,001 kg/m ² of glass/year
Wastage material during maintenance (specify materials)	0 kg
Net fresh water consumption during maintenance	0,2 kg/m ² of glass/year
Energy input during maintenance (e.g. vacuum cleaning), energy carrier type, (e.g. electricity) and amount, if applicable and relevant	None required during product lifetime

End of Life Stage, C1-C4

Description of the stage: This stage includes the next modules:

- C1: Deconstruction, demolition**
- C2: Transport to waste processing**
- C3: Waste processing for reuse, recovery and/or recycling**
- C4: Disposal**

End of life scenario used in this study is:

- 100% of glass goes to the average Brazilian solid waste landfill scenario. The distance to the disposal site considered is 50 km. The disposal scenario consists of 60% sanitary landfills, 23% unsanitary landfills and 17% open dumps.

Reuse/recovery/recycling potential, D

Description of the stage: An end-of-life recycling of 0% (100% of glass wastes are landfilled) has been assumed as a conservative approach due to local demolition waste data uncertainties.

LCA results

Product Environmental Footprint (PEF) method has been used as the impact model with the adaptations required by EN 15804:2012+A2:2019. Specific data has been supplied by the plant, as well as by the sand, lime and dolomite suppliers; and generic data come from econinvent 3.8 and USLCI (United States Life Cycle Inventory) databases.

All emissions to air, water, and soil, and all materials and energy used have been included. Raw materials and energy consumption, as well as transport distances, have been taken directly from the manufacturing plant (production data according to 2019).

All result tables refer to a functional unit of 1 m² of flat glass and an expected average service life of 30 years.

The core indicators from the PEF method are reported in this EPD (i.e. Climate Change, Climate change – Fossil, Climate change – Biogenic, Climate change - Land use and LU change, Ozone depletion, Acidification, Eutrophication – freshwater, Eutrophication – marine, Eutrophication – terrestrial, Photochemical ozone formation, Resource use – minerals and metals¹, Resource use – fossil¹, and Water Use¹. The additional indicators for the categories Ionizing Radiation², Particulate Matter, Land Use¹, Human Toxicity – cancer¹, Human Toxicity – Non-cancer¹, and Ecotoxicity – freshwater¹ are not declared.













	PRODUCT STAGE			CONSTRUCTION STAGE	USE STAGE								END OF LIFE STAGE				BENEFITS AND LOADS BEYOND THE SYSTEM BOUNDARY
	Raw material supply	Transport	Manufacturing	Transport	Construction-Installation process	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse-recovery
Module	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Module declared	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Geography	Brazil																
Specific data used	<90%				-	-	-	-	-	-	-	-	-	-	-	-	-
Variation products	Not relevant				-	-	-	-	-	-	-	-	-	-	-	-	-
Variation sites	-17 to +4%				-	-	-	-	-	-	-	-	-	-	-	-	-

According to the PCR, the variation for the GWP indicators has been calculated for the two different sites and compared to the product groups formed as averages (similar products from different plants). The variation between the different manufacturing sites and the average is from -17% to 4%. The variation of the sites comes from the energy efficiency of the plants.



¹ Disclaimer 1 – The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.

² Disclaimer 2 – This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.








ENVIRONMENTAL IMPACTS 3 mm


Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Climate Change [kg CO2 eq.]	7,84E+00	1,03E+00	0	0	1,79E-01	0	0	0	0	0	0	4,07E-02	0	1,14E-01	0
 Climate Change (fossil) [kg CO2 eq.]	7,49E+00	9,02E-01	0	0	4,96E-02	0	0	0	0	0	0	3,56E-02	0	4,27E-02	0
 Climate Change (biogenic) [kg CO2 eq.]	2,68E-01	3,10E-02	0	0	3,63E-02	0	0	0	0	0	0	1,22E-03	0	7,07E-02	0
 Climate Change (land use change) [kg CO2 eq.]	6,72E-02	9,76E-02	0	0	9,22E-02	0	0	0	0	0	0	3,85E-03	0	4,76E-05	0
 Ozone depletion [kg CFC-11 eq.]	9,91E-07	4,98E-08	0	0	8,09E-09	0	0	0	0	0	0	1,96E-09	0	1,52E-08	0
 Acidification terrestrial and freshwater [Mole of H+ eq.]	2,78E-02	2,31E-03	0	0	6,26E-04	0	0	0	0	0	0	9,13E-05	0	4,17E-04	0
 Eutrophication freshwater [kg P eq.]	8,11E-05	3,94E-05	0	0	4,93E-04	0	0	0	0	0	0	1,56E-06	0	2,64E-07	0
 Eutrophication marine [kg N eq.]	8,38E-03	1,36E-03	0	0	7,43E-04	0	0	0	0	0	0	5,37E-05	0	1,59E-04	0
 Eutrophication terrestrial [Mole of N eq.]	9,82E-02	1,01E-02	0	0	2,31E-03	0	0	0	0	0	0	3,98E-04	0	1,74E-03	0
 Photochemical ozone formation - human health [kg NMVOC eq.]	2,34E-02	2,88E-03	0	0	3,65E-04	0	0	0	0	0	0	1,14E-04	0	4,91E-04	0
 Resource use, mineral and metals [kg Sb eq.]	8,53E-06	1,82E-07	0	0	2,05E-07	0	0	0	0	0	0	7,17E-09	0	5,18E-09	0
 Resource use, energy carriers [MJ]	9,21E+01	1,24E+01	0	0	4,96E-01	0	0	0	0	0	0	4,88E-01	0	1,06E+00	0
Water scarcity [m³ world equiv.]	8,06E-01	2,37E-02	0	0	3,20E-01	0	0	0	0	0	0	9,36E-04	0	4,51E-02	0






ENVIRONMENTAL IMPACTS 3 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 IPCC 2013 Global Warming Potential 100a (kg CO2 eq)	7,58E+00	9,92E-01	0	0	1,49E-01	0	0	0	0	0	0	3,91E-02	0	4,54E-02	0
 Eutrophication - Freshwater (kg PO4 eq)	2,49E-04	1,21E-04	0	0	1,51E-03	0	0	0	0	0	0	4,78E-06	0	8,10E-07	0













RESOURCE USE 3 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Use of renewable primary energy (PERE) [MJ]	1,22E+01	1,06E+00	0	0	3	0	0	0	0	0	0	4,19E-02	0	6,73E-03	0
 Primary energy resources used as raw materials (PERM) [MJ]	7,50E-01	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of renewable primary energy resources (PERT) [MJ]	1,29E+01	1,06E+00	0	0	2,72E+00	0	0	0	0	0	0	4,19E-02	0	6,73E-03	0
Use of non-renewable primary energy (PENRE) [MJ]	9,22E+01	1,31E+01	0	0	6,08E-01	0	0	0	0	0	0	5,15E-01	0	1,06E+00	0
 Non-renewable primary energy resources used as raw materials (PENRM) [MJ]	0,00E+00	0,00E+00	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of non-renewable primary energy resources (PENRT) [MJ]	9,22E+01	1,31E+01	0	0	6,08E-01	0	0	0	0	0	0	5,15E-01	0	1,06E+00	0
 Input of secondary material (SM) [kg]	3,35E-01	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of renewable secondary fuels (RSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of non-renewable secondary fuels (NRSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of net fresh water (FW) [m3]	9,24E-02	2,39E-03	0	0	1,54E-02	0	0	0	0	0	0	9,42E-05	0	1,07E-03	0



WASTE CATEGORIES 3 mm															
Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Hazardous waste disposed (HWD) [kg]	1,08E-03	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Non-hazardous waste disposed (NHWD) [kg]	1,73E-03	0	0	0	0	0	0	0	0	0	0	0	0	7,54	0
 Radioactive waste disposed (RWD) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OUTPUT FLOWS 3 mm															
Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Components for re-use (CRU) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Materials for Recycling (MFR) [kg]	6,00E-02	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Material for Energy Recovery (MER) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported electrical energy (EEE) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported thermal energy (EET) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0








ENVIRONMENTAL IMPACTS 3,15 mm




Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Climate Change [kg CO2 eq.]	8,23E+00	1,08E+00	0	0	1,79E-01	0	0	0	0	0	0	4,27E-02	0	1,19E-01	0
 Climate Change (fossil) [kg CO2 eq.]	7,87E+00	9,47E-01	0	0	4,96E-02	0	0	0	0	0	0	3,74E-02	0	4,49E-02	0
 Climate Change (biogenic) [kg CO2 eq.]	2,81E-01	3,25E-02	0	0	3,63E-02	0	0	0	0	0	0	1,28E-03	0	7,42E-02	0
 Climate Change (land use change) [kg CO2 eq.]	7,05E-02	1,02E-01	0	0	9,22E-02	0	0	0	0	0	0	4,04E-03	0	5,00E-05	0
 Ozone depletion [kg CFC-11 eq.]	1,04E-06	5,23E-08	0	0	8,09E-09	0	0	0	0	0	0	2,06E-09	0	1,60E-08	0
 Acidification terrestrial and freshwater [Mole of H+ eq.]	2,92E-02	2,43E-03	0	0	6,26E-04	0	0	0	0	0	0	9,58E-05	0	4,38E-04	0
 Eutrophication freshwater [kg P eq.]	8,51E-05	4,14E-05	0	0	4,93E-04	0	0	0	0	0	0	1,63E-06	0	2,77E-07	0
 Eutrophication marine [kg N eq.]	8,80E-03	1,43E-03	0	0	7,43E-04	0	0	0	0	0	0	5,64E-05	0	1,67E-04	0
 Eutrophication terrestrial [Mole of N eq.]	1,03E-01	1,06E-02	0	0	2,31E-03	0	0	0	0	0	0	4,18E-04	0	1,83E-03	0
 Photochemical ozone formation - human health [kg NMVOC eq.]	2,46E-02	3,02E-03	0	0	3,65E-04	0	0	0	0	0	0	1,19E-04	0	5,16E-04	0
 Resource use, mineral and metals [kg Sb eq.]	8,96E-06	1,91E-07	0	0	2,05E-07	0	0	0	0	0	0	7,53E-09	0	5,43E-09	0
 Resource use, energy carriers [MJ]	9,67E+01	1,30E+01	0	0	4,96E-01	0	0	0	0	0	0	5,13E-01	0	1,11E+00	0
Water scarcity [m³ world equiv.]	8,47E-01	2,49E-02	0	0	3,20E-01	0	0	0	0	0	0	9,82E-04	0	4,73E-02	0






ENVIRONMENTAL IMPACTS 3,15 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 IPCC 2013 Global Warming Potential 100a (kg CO2 eq)	7,96E+00	1,04E+00	0	0	1,49E-01	0	0	0	0	0	0	4,11E-02	0	4,77E-02	0
 Eutrophication - Freshwater (kg PO4 eq)	2,61E-04	1,27E-04	0	0	1,51E-03	0	0	0	0	0	0	5,02E-06	0	8,50E-07	0













RESOURCE USE 3,15 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Use of renewable primary energy (PERE) [MJ]	13	1,12	0	0	2,72	0	0	0	0	0	0	4,40E-02	0	7,06E-03	0
 Primary energy resources used as raw materials (PERM) [MJ]	0,79	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of renewable primary energy resources (PERT) [MJ]	1,36E+01	1,12E+00	0	0	2,72E+00	0	0	0	0	0	0	4,40E-02	0	7,06E-03	0
Use of non-renewable primary energy (PENRE) [MJ]	9,68E+01	1,37E+01	0	0	6,08E-01	0	0	0	0	0	0	5,41E-01	0	1,11E+00	0
 Non-renewable primary energy resources used as raw materials (PENRM) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of non-renewable primary energy resources (PENRT) [MJ]	9,68E+01	1,37E+01	0	0	6,08E-01	0	0	0	0	0	0	5,41E-01	0	1,11E+00	0
 Input of secondary material (SM) [kg]	3,52E-01	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of renewable secondary fuels (RSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of non-renewable secondary fuels (NRSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of net fresh water (FW) [m3]	9,70E-02	2,51E-03	0	0	1,54E-02	0	0	0	0	0	0	9,89E-05	0	1,12E-03	0


WASTE CATEGORIES 3,15 mm															
Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Hazardous waste disposed (HWD) [kg]	1,13E-03	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Non-hazardous waste disposed (NHWD) [kg]	1,81E-03	0	0	0	0	0	0	0	0	0	0	0	0	7,91	0
 Radioactive waste disposed (RWD) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OUTPUT FLOWS 3,15 mm															
Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Components for re-use (CRU) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Materials for Recycling (MFR) [kg]	6,30E-02	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Material for Energy Recovery (MER) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported electrical energy (EEE) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported thermal energy (EET) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0








ENVIRONMENTAL IMPACTS 4 mm


Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction /demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Climate Change [kg CO2 eq.]	1,04E+01	1,37E+00	0	0	1,79E-01	0	0	0	0	0	0	5,42E-02	0	1,52E-01	0
 Climate Change (fossil) [kg CO2 eq.]	9,99E+00	1,20E+00	0	0	4,96E-02	0	0	0	0	0	0	4,75E-02	0	5,70E-02	0
 Climate Change (biogenic) [kg CO2 eq.]	3,57E-01	4,13E-02	0	0	3,63E-02	0	0	0	0	0	0	1,63E-03	0	9,42E-02	0
 Climate Change (land use change) [kg CO2 eq.]	8,96E-02	1,30E-01	0	0	9,22E-02	0	0	0	0	0	0	5,14E-03	0	6,35E-05	0
 Ozone depletion [kg CFC-11 eq.]	1,32E-06	6,64E-08	0	0	8,09E-09	0	0	0	0	0	0	2,62E-09	0	2,03E-08	0
 Acidification terrestrial and freshwater [Mole of H+ eq.]	3,71E-02	3,08E-03	0	0	6,26E-04	0	0	0	0	0	0	1,22E-04	0	5,56E-04	0
 Eutrophication freshwater [kg P eq.]	1,08E-04	5,26E-05	0	0	4,93E-04	0	0	0	0	0	0	2,08E-06	0	3,52E-07	0
 Eutrophication marine [kg N eq.]	1,12E-02	1,81E-03	0	0	7,43E-04	0	0	0	0	0	0	7,16E-05	0	2,13E-04	0
 Eutrophication terrestrial [Mole of N eq.]	1,31E-01	1,34E-02	0	0	2,31E-03	0	0	0	0	0	0	5,31E-04	0	2,32E-03	0
 Photochemical ozone formation - human health [kg NMVOC eq.]	3,12E-02	3,84E-03	0	0	3,65E-04	0	0	0	0	0	0	1,51E-04	0	6,55E-04	0
 Resource use, mineral and metals [kg Sb eq.]	1,14E-05	2,42E-07	0	0	2,05E-07	0	0	0	0	0	0	9,56E-09	0	6,90E-09	0
 Resource use, energy carriers [MJ]	1,23E+02	1,65E+01	0	0	4,96E-01	0	0	0	0	0	0	6,51E-01	0	1,41E+00	0
Water scarcity [m³ world equiv.]	1,08E+00	3,16E-02	0	0	3,20E-01	0	0	0	0	0	0	1,25E-03	0	6,01E-02	0





ENVIRONMENTAL IMPACTS 4 mm

Parameters		Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
		A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
	IPCC 2013 Global Warming Potential 100a (kg CO2 eq)	1,01E+01	1,32E+00	0	0	1,49E-01	0	0	0	0	0	0	5,22E-02	0	6,06E-02	0
	Eutrophication - Freshwater (kg PO4 eq)	3,32E-04	1,61E-04	0	0	1,51E-03	0	0	0	0	0	0	6,37E-06	0	1,08E-06	0













RESOURCE USE 4 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Use of renewable primary energy (PERE) [MJ]	16,3	1,42	0	0	3	0	0	0	0	0	0	5,59E-02	0	8,97E-03	0
 Primary energy resources used as raw materials (PERM) [MJ]	1,0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of renewable primary energy resources (PERT) [MJ]	1,73E+01	1,42E+00	0	0	2,72E+00	0	0	0	0	0	0	5,59E-02	0	8,97E-03	0
Use of non-renewable primary energy (PENRE) [MJ]	1,23E+02	1,74E+01	0	0	6,08E-01	0	0	0	0	0	0	6,87E-01	0	1,41E+00	0
 Non-renewable primary energy resources used as raw materials (PENRM) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of non-renewable primary energy resources (PENRT) [MJ]	1,23E+02	1,74E+01	0	0	6,08E-01	0	0	0	0	0	0	6,87E-01	0	1,41E+00	0
 Input of secondary material (SM) [kg]	4,46E-01	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of renewable secondary fuels (RSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of non-renewable secondary fuels (NRSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of net fresh water (FW) [m3]	1,23E-01	3,18E-03	0	0	1,54E-02	0	0	0	0	0	0	1,26E-04	0	1,42E-03	0


WASTE CATEGORIES 4 mm															
Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Hazardous waste disposed (HWD) [kg]	1,44E-03	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Non-hazardous waste disposed (NHWD) [kg]	2,30E-03	0	0	0	0	0	0	0	0	0	0	0	0	10,0	0
 Radioactive waste disposed (RWD) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OUTPUT FLOWS 4 mm															
Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Components for re-use (CRU) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Materials for Recycling (MFR) [kg]	8,00E-02	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Material for Energy Recovery (MER) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported electrical energy (EEE) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0








ENVIRONMENTAL IMPACTS 5 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction /demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Climate Change [kg CO2 eq.]	1,31E+01	1,72E+00	0	0	1,79E-01	0	0	0	0	0	0	6,78E-02	0	1,90E-01	0
 Climate Change (fossil) [kg CO2 eq.]	1,25E+01	1,50E+00	0	0	4,96E-02	0	0	0	0	0	0	5,93E-02	0	7,12E-02	0
 Climate Change (biogenic) [kg CO2 eq.]	4,46E-01	5,16E-02	0	0	3,63E-02	0	0	0	0	0	0	2,04E-03	0	1,18E-01	0
 Climate Change (land use change) [kg CO2 eq.]	1,12E-01	1,63E-01	0	0	9,22E-02	0	0	0	0	0	0	6,42E-03	0	7,94E-05	0
 Ozone depletion [kg CFC-11 eq.]	1,65E-06	8,30E-08	0	0	8,09E-09	0	0	0	0	0	0	3,27E-09	0	2,53E-08	0
 Acidification terrestrial and freshwater [Mole of H+ eq.]	4,63E-02	3,86E-03	0	0	6,26E-04	0	0	0	0	0	0	1,52E-04	0	6,95E-04	0
 Eutrophication freshwater [kg P eq.]	1,35E-04	6,57E-05	0	0	4,93E-04	0	0	0	0	0	0	2,59E-06	0	4,40E-07	0
 Eutrophication marine [kg N eq.]	1,40E-02	2,27E-03	0	0	7,43E-04	0	0	0	0	0	0	8,95E-05	0	2,66E-04	0
 Eutrophication terrestrial [Mole of N eq.]	1,64E-01	1,68E-02	0	0	2,31E-03	0	0	0	0	0	0	6,63E-04	0	2,90E-03	0
 Photochemical ozone formation - human health [kg NMVOC eq.]	3,90E-02	4,80E-03	0	0	3,65E-04	0	0	0	0	0	0	1,89E-04	0	8,19E-04	0
 Resource use, mineral and metals [kg Sb eq.]	1,42E-05	3,03E-07	0	0	2,05E-07	0	0	0	0	0	0	1,20E-08	0	8,63E-09	0
 Resource use, energy carriers [MJ]	1,54E+02	2,06E+01	0	0	4,96E-01	0	0	0	0	0	0	8,14E-01	0	1,77E+00	0
Water scarcity [m³ world equiv.]	1,34E+00	3,95E-02	0	0	3,20E-01	0	0	0	0	0	0	1,56E-03	0	7,51E-02	0




ENVIRONMENTAL IMPACTS 5 mm

Parameters		Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
		A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
	IPCC 2013 Global Warming Potential 100a (kg CO2 eq)	1,26E+01	1,65E+00	0	0	1,49E-01	0	0	0	0	0	0	6,52E-02	0	7,57E-02	0
	Eutrophication - Freshwater (kg PO4 eq)	4,15E-04	2,02E-04	0	0	1,51E-03	0	0	0	0	0	0	7,96E-06	0	1,35E-06	0






RESOURCE USE 5 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / Demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Use of renewable primary energy (PERE) [MJ]	20,3	2	0	0	2,72	0	0	0	0	0	0	6,98E-02	0	1,12E-02	0
 Primary energy resources used as raw materials (PERM) [MJ]	1,25	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of renewable primary energy resources (PERT) [MJ]	2,16E+01	1,77E+00	0	0	2,72E+00	0	0	0	0	0	0	6,98E-02	0	1,12E-02	0
Use of non-renewable primary energy (PENRE) [MJ]	1,54E+02	2,18E+01	0	0	6,08E-01	0	0	0	0	0	0	8,59E-01	0	1,77E+00	0
 Non-renewable primary energy resources used as raw materials (PENRM) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of non-renewable primary energy resources (PENRT) [MJ]	1,54E+02	2,18E+01	0	0	6,08E-01	0	0	0	0	0	0	8,59E-01	0	1,77E+00	0
 Input of secondary material (SM) [kg]	5,58E-01	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of renewable secondary fuels (RSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of non-renewable secondary fuels (NRSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of net fresh water (FW) [m3]	1,54E-01	3,98E-03	0	0	1,54E-02	0	0	0	0	0	0	1,57E-04	0	1,78E-03	0













WASTE CATEGORIES 5 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Hazardous waste disposed (HWD) [kg]	1,80E-03	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Non-hazardous waste disposed (NHWD) [kg]	2,88E-03	0	0	0	0	0	0	0	0	0	0	0	0	12,6	0
 Radioactive waste disposed (RWD) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0


OUTPUT FLOWS 5 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Components for re-use (CRU) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Materials for Recycling (MFR) [kg]	1,00E-01	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Material for Energy Recovery (MER) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported electrical energy (EEE) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported thermal energy (EET) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0








ENVIRONMENTAL IMPACTS 6 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Climate Change [kg CO2 eq.]	1,57E+01	2,06E+00	0	0	1,79E-01	0	0	0	0	0	0	8,14E-02	0	2,28E-01	0
 Climate Change (fossil) [kg CO2 eq.]	1,50E+01	1,80E+00	0	0	4,96E-02	0	0	0	0	0	0	7,12E-02	0	8,55E-02	0
 Climate Change (biogenic) [kg CO2 eq.]	5,35E-01	6,19E-02	0	0	3,63E-02	0	0	0	0	0	0	2,44E-03	0	1,41E-01	0
 Climate Change (land use change) [kg CO2 eq.]	1,34E-01	1,95E-01	0	0	9,22E-02	0	0	0	0	0	0	7,70E-03	0	9,53E-05	0
 Ozone depletion [kg CFC-11 eq.]	1,98E-06	9,95E-08	0	0	8,09E-09	0	0	0	0	0	0	3,93E-09	0	3,04E-08	0
 Acidification terrestrial and freshwater [Mole of H+ eq.]	5,56E-02	4,63E-03	0	0	6,26E-04	0	0	0	0	0	0	1,83E-04	0	8,35E-04	0
 Eutrophication freshwater [kg P eq.]	1,62E-04	7,89E-05	0	0	4,93E-04	0	0	0	0	0	0	3,11E-06	0	5,28E-07	0
 Eutrophication marine [kg N eq.]	1,68E-02	2,72E-03	0	0	7,43E-04	0	0	0	0	0	0	1,07E-04	0	3,19E-04	0
 Eutrophication terrestrial [Mole of N eq.]	1,96E-01	2,02E-02	0	0	2,31E-03	0	0	0	0	0	0	7,96E-04	0	3,48E-03	0
 Photochemical ozone formation - human health [kg NMVOC eq.]	4,68E-02	5,76E-03	0	0	3,65E-04	0	0	0	0	0	0	2,27E-04	0	9,82E-04	0
 Resource use, mineral and metals [kg Sb eq.]	1,71E-05	3,63E-07	0	0	2,05E-07	0	0	0	0	0	0	1,43E-08	0	1,04E-08	0
 Resource use, energy carriers [MJ]	1,84E+02	2,47E+01	0	0	4,96E-01	0	0	0	0	0	0	9,77E-01	0	2,12E+00	0
Water scarcity [m³ world equiv.]	1,61E+00	4,74E-02	0	0	3,20E-01	0	0	0	0	0	0	1,87E-03	0	9,01E-02	0




ENVIRONMENTAL IMPACTS 6 mm

Parameters		Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
		A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
	IPCC 2013 Global Warming Potential 100a (kg CO2 eq)	1,52E+01	1,98E+00	0	0	1,49E-01	0	0	0	0	0	0	7,83E-02	0	9,08E-02	0
	Eutrophication - Freshwater (kg PO4 eq)	4,98E-04	2,42E-04	0	0	1,51E-03	0	0	0	0	0	0	9,56E-06	0	1,62E-06	0





RESOURCE USE 6 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Use of renewable primary energy (PERE) [MJ]	24,39	2,12	0,00	0,00	2,72	0	0	0	0	0	0	8,38E-02	0	1,35E-02	0
 Primary energy resources used as raw materials (PERM) [MJ]	1,50	0,00	0,00	0,00	0,00	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of renewable primary energy resources (PERT) [MJ]	2,59E+01	2,12E+00	0	0	2,72E+00	0	0	0	0	0	0	8,38E-02	0	1,35E-02	0
Use of non-renewable primary energy (PENRE) [MJ]	1,84E+02	2,61E+01	0	0	6,08E-01	0	0	0	0	0	0	1,03E+00	0	2,12E+00	0
 Non-renewable primary energy resources used as raw materials (PENRM) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of non-renewable primary energy resources (PENRT) [MJ]	1,84E+02	2,61E+01	0	0	6,08E-01	0	0	0	0	0	0	1,03E+00	0	2,12E+00	0
 Input of secondary material (SM) [kg]	6,70E-01	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of renewable secondary fuels (RSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of non-renewable secondary fuels (NRSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of net fresh water (FW) [m3]	1,85E-01	4,77E-03	0	0	1,54E-02	0	0	0	0	0	0	1,88E-04	0	2,13E-03	0













WASTE CATEGORIES 6 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Hazardous waste disposed (HWD) [kg]	2,16E-03	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Non-hazardous waste disposed (NHWD) [kg]	3,45E-03	0	0	0	0	0	0	0	0	0	0	0	0	15,1	0
 Radioactive waste disposed (RWD) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0


OUTPUT FLOWS 6 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Components for re-use (CRU) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Materials for Recycling (MFR) [kg]	1,20E-01	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Material for Energy Recovery (MER) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported electrical energy (EEE) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0








ENVIRONMENTAL IMPACTS 8 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Climate Change [kg CO2 eq.]	2,09E+01	2,75E+00	0	0	1,79E-01	0	0	0	0	0	0	1,08E-01	0	3,03E-01	0
 Climate Change (fossil) [kg CO2 eq.]	2,00E+01	2,41E+00	0	0	4,96E-02	0	0	0	0	0	0	9,49E-02	0	1,14E-01	0
 Climate Change (biogenic) [kg CO2 eq.]	7,14E-01	8,26E-02	0	0	3,63E-02	0	0	0	0	0	0	3,26E-03	0	1,88E-01	0
 Climate Change (land use change) [kg CO2 eq.]	1,79E-01	2,60E-01	0	0	9,22E-02	0	0	0	0	0	0	1,03E-02	0	1,27E-04	0
 Ozone depletion [kg CFC-11 eq.]	2,64E-06	1,33E-07	0	0	8,09E-09	0	0	0	0	0	0	5,24E-09	0	4,05E-08	0
 Acidification terrestrial and freshwater [Mole of H+ eq.]	7,41E-02	6,17E-03	0	0	6,26E-04	0	0	0	0	0	0	2,43E-04	0	1,11E-03	0
 Eutrophication freshwater [kg P eq.]	2,16E-04	1,05E-04	0	0	4,93E-04	0	0	0	0	0	0	4,15E-06	0	7,03E-07	0
 Eutrophication marine [kg N eq.]	2,23E-02	3,63E-03	0	0	7,43E-04	0	0	0	0	0	0	1,43E-04	0	4,25E-04	0
 Eutrophication terrestrial [Mole of N eq.]	2,62E-01	2,69E-02	0	0	2,31E-03	0	0	0	0	0	0	1,06E-03	0	4,64E-03	0
 Photochemical ozone formation - human health [kg NMVOC eq.]	6,24E-02	7,67E-03	0	0	3,65E-04	0	0	0	0	0	0	3,03E-04	0	1,31E-03	0
 Resource use, mineral and metals [kg Sb eq.]	2,27E-05	4,85E-07	0	0	2,05E-07	0	0	0	0	0	0	1,91E-08	0	1,38E-08	0
 Resource use, energy carriers [MJ]	2,46E+02	3,30E+01	0	0	4,96E-01	0	0	0	0	0	0	1,30E+00	0	2,83E+00	0
Water scarcity [m³ world equiv.]	2,15E+00	6,32E-02	0	0	3,20E-01	0	0	0	0	0	0	2,49E-03	0	1,20E-01	0




ENVIRONMENTAL IMPACTS 8 mm

Parameters		Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
		A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
	IPCC 2013 Global Warming Potential 100a (kg CO2 eq)	2,02E+01	2,65E+00	0	0	1,49E-01	0	0	0	0	0	0	1,04E-01	0	1,21E-01	0
	Eutrophication - Freshwater (kg PO4 eq)	6,64E-04	3,23E-04	0	0	1,51E-03	0	0	0	0	0	0	1,27E-05	0	2,16E-06	0





RESOURCE USE 8 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Use of renewable primary energy (PERE) [MJ]	32,5	2,83	0	0	2,72	0	0	0	0	0	0	1,12E-01	0	1,79E-02	0
 Primary energy resources used as raw materials (PERM) [MJ]	2,0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of renewable primary energy resources (PERT) [MJ]	3,45E+01	2,83E+00	0	0	2,72E+00	0	0	0	0	0	0	1,12E-01	0	1,79E-02	0
Use of non-renewable primary energy (PENRE) [MJ]	2,46E+02	3,48E+01	0	0	6,08E-01	0	0	0	0	0	0	1,37E+00	0	2,83E+00	0
 Non-renewable primary energy resources used as raw materials (PENRM) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of non-renewable primary energy resources (PENRT) [MJ]	2,46E+02	3,48E+01	0	0	6,08E-01	0	0	0	0	0	0	1,37E+00	0	2,83E+00	0
 Input of secondary material (SM) [kg]	8,93E-01	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of renewable secondary fuels (RSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of non-renewable secondary fuels (NRSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of net fresh water (FW) [m3]	2,46E-01	6,36E-03	0	0	1,54E-02	0	0	0	0	0	0	2,51E-04	0	2,85E-03	0













WASTE CATEGORIES 8 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Hazardous waste disposed (HWD) [kg]	2,88E-03	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Non-hazardous waste disposed (NHWD) [kg]	4,60E-03	0	0	0	0	0	0	0	0	0	0	0	0	20,1	0
 Radioactive waste disposed (RWD) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0


OUTPUT FLOWS 8 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Components for re-use (CRU) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Materials for Recycling (MFR) [kg]	1,60E-01	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Material for Energy Recovery (MER) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported electrical energy (EEE) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0








ENVIRONMENTAL IMPACTS 10 mm



Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Climate Change [kg CO2 eq.]	2,61E+01	3,44E+00	0	0	1,79E-01	0	0	0	0	0	0	1,36E-01	0	3,79E-01	0
 Climate Change (fossil) [kg CO2 eq.]	2,50E+01	3,01E+00	0	0	4,96E-02	0	0	0	0	0	0	1,19E-01	0	1,42E-01	0
 Climate Change (biogenic) [kg CO2 eq.]	8,92E-01	1,03E-01	0	0	3,63E-02	0	0	0	0	0	0	4,07E-03	0	2,36E-01	0
 Climate Change (land use change) [kg CO2 eq.]	2,24E-01	3,25E-01	0	0	9,22E-02	0	0	0	0	0	0	1,28E-02	0	1,59E-04	0
 Ozone depletion [kg CFC-11 eq.]	3,30E-06	1,66E-07	0	0	8,09E-09	0	0	0	0	0	0	6,55E-09	0	5,07E-08	0
 Acidification terrestrial and freshwater [Mole of H+ eq.]	9,26E-02	7,71E-03	0	0	6,26E-04	0	0	0	0	0	0	3,04E-04	0	1,39E-03	0
 Eutrophication freshwater [kg P eq.]	2,70E-04	1,31E-04	0	0	4,93E-04	0	0	0	0	0	0	5,19E-06	0	8,79E-07	0
 Eutrophication marine [kg N eq.]	2,79E-02	4,53E-03	0	0	7,43E-04	0	0	0	0	0	0	1,79E-04	0	5,32E-04	0
 Eutrophication terrestrial [Mole of N eq.]	3,27E-01	3,36E-02	0	0	2,31E-03	0	0	0	0	0	0	1,33E-03	0	5,80E-03	0
 Photochemical ozone formation - human health [kg NMVOC eq.]	7,80E-02	9,59E-03	0	0	3,65E-04	0	0	0	0	0	0	3,79E-04	0	1,64E-03	0
 Resource use, mineral and metals [kg Sb eq.]	2,84E-05	6,06E-07	0	0	2,05E-07	0	0	0	0	0	0	2,39E-08	0	1,73E-08	0
 Resource use, energy carriers [MJ]	3,07E+02	4,12E+01	0	0	4,96E-01	0	0	0	0	0	0	1,63E+00	0	3,53E+00	0
Water scarcity [m³ world equiv.]	2,69E+00	7,90E-02	0	0	3,20E-01	0	0	0	0	0	0	3,12E-03	0	1,50E-01	0





ENVIRONMENTAL IMPACTS 10 mm

Parameters		Product stage	Construction process stage		Use stage						End-of-life stage				D Reuse, recovery, recycling	
		A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing		C4 Disposal
	IPCC 2013 Global Warming Potential 100a (kg CO2 eq)	2,53E+01	3,31E+00	0	0	1,49E-01	0	0	0	0	0	0	1,30E-01	0	1,51E-01	0
	Eutrophication - Freshwater (kg PO4 eq)	8,30E-04	4,04E-04	0	0	1,51E-03	0	0	0	0	0	0	1,59E-05	0	2,70E-06	0













RESOURCE USE 10 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Use of renewable primary energy (PERE) [MJ]	41	3,54	0	0	2,72	0	0	0	0	0	0	1,40E-01	0	2,24E-02	0
 Primary energy resources used as raw materials (PERM) [MJ]	2,50	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of renewable primary energy resources (PERT) [MJ]	4,32E+01	3,54E+00	0	0	2,72E+00	0	0	0	0	0	0	1,40E-01	0	2,24E-02	0
Use of non-renewable primary energy (PENRE) [MJ]	3,07E+02	4,35E+01	0	0	6,08E-01	0	0	0	0	0	0	1,72E+00	0	3,53E+00	0
 Non-renewable primary energy resources used as raw materials (PENRM) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of non-renewable primary energy resources (PENRT) [MJ]	3,07E+02	4,35E+01	0	0	6,08E-01	0	0	0	0	0	0	1,72E+00	0	3,53E+00	0
 Input of secondary material (SM) [kg]	1,12E+00	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of renewable secondary fuels (RSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of non-renewable secondary fuels (NRSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of net fresh water (FW) [m3]	3,08E-01	7,96E-03	0	0	1,54E-02	0	0	0	0	0	0	3,14E-04	0	3,56E-03	0


WASTE CATEGORIES 10 mm															
Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Hazardous waste disposed (HWD) [kg]	3,60E-03	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Non-hazardous waste disposed (NHWD) [kg]	5,75E-03	0	0	0	0	0	0	0	0	0	0	0	0	25,1	0
 Radioactive waste disposed (RWD) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OUTPUT FLOWS 10 mm															
Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Components for re-use (CRU) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Materials for Recycling (MFR) [kg]	2,00E-01	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Material for Energy Recovery (MER) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported electrical energy (EEE) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0








ENVIRONMENTAL IMPACTS 12 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Climate Change [kg CO2 eq.]	3,13E+01	4,12E+00	0	0	1,79E-01	0	0	0	0	0	0	1,63E-01	0	4,55E-01	0
 Climate Change (fossil) [kg CO2 eq.]	3,00E+01	3,61E+00	0	0	4,96E-02	0	0	0	0	0	0	1,42E-01	0	1,71E-01	0
 Climate Change (biogenic) [kg CO2 eq.]	1,07E+00	1,24E-01	0	0	3,63E-02	0	0	0	0	0	0	4,89E-03	0	2,83E-01	0
 Climate Change (land use change) [kg CO2 eq.]	2,69E-01	3,90E-01	0	0	9,22E-02	0	0	0	0	0	0	1,54E-02	0	1,91E-04	0
 Ozone depletion [kg CFC-11 eq.]	3,96E-06	1,99E-07	0	0	8,09E-09	0	0	0	0	0	0	7,86E-09	0	6,08E-08	0
 Acidification terrestrial and freshwater [Mole of H+ eq.]	1,11E-01	9,25E-03	0	0	6,26E-04	0	0	0	0	0	0	3,65E-04	0	1,67E-03	0
 Eutrophication freshwater [kg P eq.]	3,24E-04	1,58E-04	0	0	4,93E-04	0	0	0	0	0	0	6,23E-06	0	1,06E-06	0
 Eutrophication marine [kg N eq.]	3,35E-02	5,44E-03	0	0	7,43E-04	0	0	0	0	0	0	2,15E-04	0	6,38E-04	0
 Eutrophication terrestrial [Mole of N eq.]	3,93E-01	4,03E-02	0	0	2,31E-03	0	0	0	0	0	0	1,59E-03	0	6,95E-03	0
 Photochemical ozone formation - human health [kg NMVOC eq.]	9,36E-02	1,15E-02	0	0	3,65E-04	0	0	0	0	0	0	4,54E-04	0	1,96E-03	0
 Resource use, mineral and metals [kg Sb eq.]	3,41E-05	7,27E-07	0	0	2,05E-07	0	0	0	0	0	0	2,87E-08	0	2,07E-08	0
 Resource use, energy carriers [MJ]	3,68E+02	4,95E+01	0	0	4,96E-01	0	0	0	0	0	0	1,95E+00	0	4,24E+00	0
Water scarcity [m³ world equiv.]	3,23E+00	9,48E-02	0	0	3,20E-01	0	0	0	0	0	0	3,74E-03	0	1,80E-01	0




ENVIRONMENTAL IMPACTS 12 mm

Parameters		Product stage	Construction process stage		Use stage						End-of-life stage				D Reuse, recovery, recycling	
		A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing		C4 Disposal
	IPCC 2013 Global Warming Potential 100a (kg CO2 eq)	3,03E+01	3,97E+00	0	0	1,49E-01	0	0	0	0	0	0	1,57E-01	0	1,82E-01	0
	Eutrophication - Freshwater (kg PO4 eq)	9,96E-04	4,84E-04	0	0	1,51E-03	0	0	0	0	0	0	1,91E-05	0	3,24E-06	0





RESOURCE USE 12 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Use of renewable primary energy (PERE) [MJ]	49	4,25	0	0	2,72	0	0	0	0	0	0	1,68E-01	0	2,69E-02	0
 Primary energy resources used as raw materials (PERM) [MJ]	3,00	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of renewable primary energy resources (PERT) [MJ]	5,18E+01	4,25E+00	0	0	2,72E+00	0	0	0	0	0	0	1,68E-01	0	2,69E-02	0
Use of non-renewable primary energy (PENRE) [MJ]	3,69E+02	5,22E+01	0	0	6,08E-01	0	0	0	0	0	0	2,06E+00	0	4,24E+00	0
 Non-renewable primary energy resources used as raw materials (PENRM) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of non-renewable primary energy resources (PENRT) [MJ]	3,69E+02	5,22E+01	0	0	6,08E-01	0	0	0	0	0	0	2,06E+00	0	4,24E+00	0
 Input of secondary material (SM) [kg]	1,34E+00	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of renewable secondary fuels (RSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of non-renewable secondary fuels (NRSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of net fresh water (FW) [m3]	3,69E-01	9,55E-03	0	0	1,54E-02	0	0	0	0	0	0	3,77E-04	0	4,27E-03	0













WASTE CATEGORIES 12 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Hazardous waste disposed (HWD) [kg]	4,32E-03	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Non-hazardous waste disposed (NHWD) [kg]	6,90E-03	0	0	0	0	0	0	0	0	0	0	0	0	30,1	0
 Radioactive waste disposed (RWD) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0


OUTPUT FLOWS 12 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Components for re-use (CRU) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Materials for Recycling (MFR) [kg]	2,40E-01	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Material for Energy Recovery (MER) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported electrical energy (EEE) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

ENVIRONMENTAL IMPACTS 15 mm








Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Climate Change [kg CO2 eq.]	3,92E+01	5,15E+00	0	0	1,79E-01	0	0	0	0	0	0	2,03E-01	0	5,69E-01	0
 Climate Change (fossil) [kg CO2 eq.]	3,75E+01	4,51E+00	0	0	4,96E-02	0	0	0	0	0	0	1,78E-01	0	2,14E-01	0
 Climate Change (biogenic) [kg CO2 eq.]	1,34E+00	1,55E-01	0	0	3,63E-02	0	0	0	0	0	0	6,11E-03	0	3,53E-01	0
 Climate Change (land use change) [kg CO2 eq.]	3,36E-01	4,88E-01	0	0	9,22E-02	0	0	0	0	0	0	1,93E-02	0	2,38E-04	0
 Ozone depletion [kg CFC-11 eq.]	4,96E-06	2,49E-07	0	0	8,09E-09	0	0	0	0	0	0	9,82E-09	0	7,60E-08	0
 Acidification terrestrial and freshwater [Mole of H+ eq.]	1,39E-01	1,16E-02	0	0	6,26E-04	0	0	0	0	0	0	4,56E-04	0	2,09E-03	0
 Eutrophication freshwater [kg P eq.]	4,05E-04	1,97E-04	0	0	4,93E-04	0	0	0	0	0	0	7,78E-06	0	1,32E-06	0
 Eutrophication marine [kg N eq.]	4,19E-02	6,80E-03	0	0	7,43E-04	0	0	0	0	0	0	2,68E-04	0	7,97E-04	0
 Eutrophication terrestrial [Mole of N eq.]	4,91E-01	5,04E-02	0	0	2,31E-03	0	0	0	0	0	0	1,99E-03	0	8,69E-03	0
 Photochemical ozone formation - human health [kg NMVOC eq.]	1,17E-01	1,44E-02	0	0	3,65E-04	0	0	0	0	0	0	5,68E-04	0	2,46E-03	0
 Resource use, mineral and metals [kg Sb eq.]	4,26E-05	9,08E-07	0	0	2,05E-07	0	0	0	0	0	0	3,59E-08	0	2,59E-08	0
 Resource use, energy carriers [MJ]	4,61E+02	6,19E+01	0	0	4,96E-01	0	0	0	0	0	0	2,44E+00	0	5,30E+00	0
Water scarcity [m³ world equiv.]	4,03E+00	1,19E-01	0	0	3,20E-01	0	0	0	0	0	0	4,68E-03	0	2,25E-01	0

ENVIRONMENTAL IMPACTS 15 mm




Parameters		Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
		A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
	IPCC 2013 Global Warming Potential 100a (kg CO2 eq)	3,79E+01	4,96E+00	0	0	1,49E-01	0	0	0	0	0	0	1,96E-01	0	2,27E-01	0
	Eutrophication - Freshwater (kg PO4 eq)	1,24E-03	6,05E-04	0	0	1,51E-03	0	0	0	0	0	0	2,39E-05	0	4,05E-06	0

1





RESOURCE USE 15 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Use of renewable primary energy (PERE) [MJ]	61	5,31	0	0	2,72	0	0	0	0	0	0	2,10E-01	0	3,36E-02	0
 Primary energy resources used as raw materials (PERM) [MJ]	3,75	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of renewable primary energy resources (PERT) [MJ]	6,47E+01	5,31E+00	0	0	2,72E+00	0	0	0	0	0	0	2,10E-01	0	3,36E-02	0
Use of non-renewable primary energy (PENRE) [MJ]	4,61E+02	6,53E+01	0	0	6,08E-01	0	0	0	0	0	0	2,58E+00	0	5,30E+00	0
 Non-renewable primary energy resources used as raw materials (PENRM) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of non-renewable primary energy resources (PENRT) [MJ]	4,61E+02	6,53E+01	0	0	6,08E-01	0	0	0	0	0	0	2,58E+00	0	5,30E+00	0
 Input of secondary material (SM) [kg]	1,67E+00	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of renewable secondary fuels (RSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of non-renewable secondary fuels (NRSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of net fresh water (FW) [m3]	4,62E-01	1,19E-02	0	0	1,54E-02	0	0	0	0	0	0	4,71E-04	0	5,34E-03	0













WASTE CATEGORIES 15 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Hazardous waste disposed (HWD) [kg]	5,40E-03	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Non-hazardous waste disposed (NHWD) [kg]	8,63E-03	0	0	0	0	0	0	0	0	0	0	0	0	37,7	0
 Radioactive waste disposed (RWD) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0


OUTPUT FLOWS 15 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Components for re-use (CRU) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Materials for Recycling (MFR) [kg]	3,00E-01	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Material for Energy Recovery (MER) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported electrical energy (EEE) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0








ENVIRONMENTAL IMPACTS 19 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Climate Change [kg CO2 eq.]	4,96E+01	6,53E+00	0	0	1,79E-01	0	0	0	0	0	0	2,58E-01	0	7,21E-01	0
 Climate Change (fossil) [kg CO2 eq.]	4,74E+01	5,71E+00	0	0	4,96E-02	0	0	0	0	0	0	2,25E-01	0	2,71E-01	0
 Climate Change (biogenic) [kg CO2 eq.]	1,69E+00	1,96E-01	0	0	3,63E-02	0	0	0	0	0	0	7,74E-03	0	4,47E-01	0
 Climate Change (land use change) [kg CO2 eq.]	4,26E-01	6,18E-01	0	0	9,22E-02	0	0	0	0	0	0	2,44E-02	0	3,02E-04	0
 Ozone depletion [kg CFC-11 eq.]	6,28E-06	3,15E-07	0	0	8,09E-09	0	0	0	0	0	0	1,24E-08	0	9,62E-08	0
 Acidification terrestrial and freshwater [Mole of H+ eq.]	1,76E-01	1,46E-02	0	0	6,26E-04	0	0	0	0	0	0	5,78E-04	0	2,64E-03	0
 Eutrophication freshwater [kg P eq.]	5,14E-04	2,50E-04	0	0	4,93E-04	0	0	0	0	0	0	9,86E-06	0	1,67E-06	0
 Eutrophication marine [kg N eq.]	5,31E-02	8,61E-03	0	0	7,43E-04	0	0	0	0	0	0	3,40E-04	0	1,01E-03	0
 Eutrophication terrestrial [Mole of N eq.]	6,22E-01	6,39E-02	0	0	2,31E-03	0	0	0	0	0	0	2,52E-03	0	1,10E-02	0
 Photochemical ozone formation - human health [kg NMVOC eq.]	1,48E-01	1,82E-02	0	0	3,65E-04	0	0	0	0	0	0	7,19E-04	0	3,11E-03	0
 Resource use, mineral and metals [kg Sb eq.]	5,40E-05	1,15E-06	0	0	2,05E-07	0	0	0	0	0	0	4,54E-08	0	3,28E-08	0
 Resource use, energy carriers [MJ]	5,83E+02	7,84E+01	0	0	4,96E-01	0	0	0	0	0	0	3,09E+00	0	6,71E+00	0
Water scarcity [m³ world equiv.]	5,11E+00	1,50E-01	0	0	3,20E-01	0	0	0	0	0	0	5,93E-03	0	2,85E-01	0




ENVIRONMENTAL IMPACTS 19 mm

Parameters		Product stage	Construction process stage		Use stage						End-of-life stage				D Reuse, recovery, recycling	
		A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing		C4 Disposal
	IPCC 2013 Global Warming Potential 100a (kg CO2 eq)	4,80E+01	6,28E+00	0	0	1,49E-01	0	0	0	0	0	0	2,48E-01	0	2,88E-01	0
	Eutrophication - Freshwater (kg PO4 eq)	1,58E-03	7,67E-04	0	0	1,51E-03	0	0	0	0	0	0	3,03E-05	0	5,13E-06	0





RESOURCE USE 19 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Use of renewable primary energy (PERE) [MJ]	77	6,73	0	0	2,72	0	0	0	0	0	0	2,65E-01	0	4,26E-02	0
 Primary energy resources used as raw materials (PERM) [MJ]	4,75	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of renewable primary energy resources (PERT) [MJ]	8,20E+01	6,73E+00	0	0	2,72E+00	0	0	0	0	0	0	2,65E-01	0	4,26E-02	0
Use of non-renewable primary energy (PENRE) [MJ]	5,84E+02	8,27E+01	0	0	6,08E-01	0	0	0	0	0	0	3,26E+00	0	6,71E+00	0
 Non-renewable primary energy resources used as raw materials (PENRM) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
Total use of non-renewable primary energy resources (PENRT) [MJ]	5,84E+02	8,27E+01	0	0	6,08E-01	0	0	0	0	0	0	3,26E+00	0	6,71E+00	0
 Input of secondary material (SM) [kg]	2,12E+00	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of renewable secondary fuels (RSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of non-renewable secondary fuels (NRSF) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0,00E+00	0
 Use of net fresh water (FW) [m3]	5,85E-01	1,51E-02	0	0	1,54E-02	0	0	0	0	0	0	5,97E-04	0	6,76E-03	0

WASTE CATEGORIES 19 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Hazardous waste disposed (HWD) [kg]	6,84E-03	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Non-hazardous waste disposed (NHWD) [kg]	1,09E-02	0	0	0	0	0	0	0	0	0	0	0	0	47,7	0
 Radioactive waste disposed (RWD) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OUTPUT FLOWS 19 mm

Parameters	Product stage	Construction process stage		Use stage							End-of-life stage				D Reuse, recovery, recycling
	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	
 Components for re-use (CRU) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Materials for Recycling (MFR) [kg]	3,80E-01	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Material for Energy Recovery (MER) [kg]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 Exported electrical energy (EEE) [MJ]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Information on biogenic carbon content


Results per functional or declared unit		
BIOGENIC CARBON CONTENT	Unit	QUANTITY
Biogenic carbon content in product	kg C	0
Biogenic carbon content in packaging (3 mm)	kg C	1,83E-02
Biogenic carbon content in packaging (3,15 mm)	kg C	1,92E-02
Biogenic carbon content in packaging (4 mm)	kg C	2,44E-02
Biogenic carbon content in packaging (5 mm)	kg C	3,05E-02
Biogenic carbon content in packaging (6 mm)	kg C	3,67E-02
Biogenic carbon content in packaging (8 mm)	kg C	4,89E-02
Biogenic carbon content in packaging (10 mm)	kg C	6,11E-02
Biogenic carbon content in packaging (12 mm)	kg C	7,33E-02
Biogenic carbon content in packaging (15 mm)	kg C	9,16E-02
Biogenic carbon content in packaging (19 mm)	kg C	1,16E-01

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.

There is no biogenic carbon in glass product.

LCA results interpretation for FLAT GLASS 4 mm

The following figure refers to a functional unit of 1 m² of flat glass product with 4mm thickness.



Global Warming Potential (Climate Change) (GWP)

When analyzing the above figure for GWP, it can clearly be seen that the majority of contribution to this environmental impact is from the production modules (A1 – A3). This is primarily because the sources of greenhouse gas emissions are predominant in this part of the life cycle. CO₂ is released on site by the combustion of natural gas and geogenic emissions released by raw materials during the fusion. Production of one of raw material will generate the third highest percentage of greenhouse gas emissions. The production modules contribute to over 85% of the contribution and the transportation of the product to the client represents 11% of the category result.

Non-renewable resources consumptions

The consumption of non – renewable resources is once more found to have the highest value in the production modules (87%). This is because a large quantity of natural gas is consumed within the factory. The contribution to this impact from the other modules is primarily due to the non–renewable resources consumed during transportation (12%).

Energy Consumptions

Modules A1 – A3 have the highest contribution to total energy consumption (85%). Energy in the form of natural gas is consumed in a vast quantity during the manufacture of glass so we would expect the production modules to contribute the most to this impact category.

Water Consumption

For the production phase, water is used within the manufacturing facility and it represents the highest contribution (86%). However, most of water is recycled in the process. Water is also consumed during the use phase to cleaning the product representing 11% of the total consumption.

Waste Production

Waste production does not follow the same trend as the above environmental impacts. The largest contributor is the end of life module. This is because 100% of the product is sent to landfill.

Health characteristics

Concerning the indoor air quality, clear flat glass is an inert material that doesn't release any inorganic & organic compounds, in particular no VOC (volatile organic compounds).

Additional Environmental Information

Cebrace's environmental policy

Cebrace's environmental vision is to ensure the sustainable development of its Activities, while preserving the environment from the impacts of its processes and services throughout their life cycle. The Group thus seeks to ensure the preservation of resources, meet the expectations of its relevant stakeholders, and offer its customers the highest added value with the lowest environmental impact.

Our products' contribution to Sustainable Buildings

Cebrace encourages sustainable construction and develops innovative solutions for new and renovated buildings that are energy efficient, comfortable, healthy and esthetically superior, while at the same time protecting natural resources.

The following information might be of help for green building certification programs:

RECYCLED CONTENT

(Required for LEED v4 Building product disclosure and optimization - sourcing of raw materials)

Recycled content: proportion, by mass, of recycled material in a product or packaging. Only pre-consumer and post-consumer materials shall be considered as recycled content.

Pre-consumer material: material diverted from the waste stream during a manufacturing process. Excluded is reutilization of materials such as rework, regrind, or scrap generated in a process and capable of being reclaimed within the same process that generated it.

In the case of flat glass, this waste originates from the processing or re-processing of glass that takes place before the final product reaches the consumer market. Pre-consumer waste flat glass is made of cut-offs, losses during laminating, bending and other processing, including the manufacture of insulating glass units or automotive windscreens.

Cullet generated in the furnace plant and which is reintroduced into the furnace cannot be considered as pre-consumer recycled content, since there was never an intent to discard it and therefore it would never have entered the solid waste stream.

Pre-consumer cullet	4,3%
Post-consumer cullet	~ 0%

In the future, Cebrace intends to continue the increase of recycled material in its products.

RESPONSIBLE SOURCING

(Required for BREEAM International new construction 2013 – MAT 03 Responsible sourcing)

All Cebrace's sites with a glassmaking furnace, are ISO 14001 certified.

For any other question / document / certification, please contact our local sales teams.

Bibliography

- EN 15804:2012+A1:2013: Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products
- EN 15804:2019+A2 - Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products
- ISO 21930: 2017 Sustainability in building construction - Environmental declaration of building products
- ISO 14040:2006: Environmental Management-Life Cycle Assessment-Principles and framework.
- ISO 14044:2006: Environmental Management-Life Cycle Assessment-Requirements and guidelines.
- ISO 14025:2006: Environmental labels and declarations-Type III Environmental Declarations-Principles and procedures.
- PCR 2019:14 Construction products (EN 15804:2012: A2) version 1.1 and c-PCR-009 Flat glass products (EN 17074)
- General Program Instruction of the International EPD® System, version 2.5
- European Chemical Agency, Candidate List of substances of very high concern for Authorization.

http://echa.europa.eu/chem_data/authorisation_process/candidate_list_table_en.asp